

JUL 10 2007

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

## CLAIMS

1. (currently amended) In a system for formalizing, diffusing, and enforcing policy advisories and for monitoring policy compliance in the management of the a network[[s]] of computational devices, said system comprising a plurality of distributed clients, each of which runs on a corresponding networked computational device, an apparatus comprising:

an enterprise console comprising a centrally managed advisory diffusion mechanism and a protocol for diffusing said advisories across said network\_of computational devices;

a plurality of advisories specifying relevance criteria and an action, at least one advisory describing a problem that has been discovered on a client computational device;

wherein said distributed clients running on said associated computational devices gather said advisories and process said advisories; and

wherein each of said distributed clients, each running on an associated computational device, determines relevance of an advice message by evaluating a relevance clause of said advice message, while automatically retrieving properties of the computational device on which said client runs;

wherein said advisories formally target specific states of a computational device associated with a client running thereon and formally specify actions to take in response thereto;

wherein said client implements associated actions received from said console.

2. (original) The apparatus of Claim 1, said system further comprising:

a central server coupled to a central database, said central server storing data in and retrieving data from said central database.

3. (cancelled)

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

4. (currently amended) The apparatus of Claim ~~[[3]]~~ 1, wherein said relevance clause is written in a formal descriptive language; and wherein said advisory comprises a short, clear explanation of said problem.
5. (original) The apparatus of Claim 4, further comprising:  
means for adding, modifying, or canceling a subscription of a distributed client to one or more advice provider sites.
6. (original) The apparatus of Claim 5, further comprising:  
means for selecting a group of computational devices, specifying action messages, scheduling, and controlling execution when deploying actions proposed by relevant advice messages.
7. (original) The apparatus of Claim 6, further comprising:  
means for securely deploying actions of relevant advice messages to a selected group of said distributed clients.
8. (original) The apparatus of Claim 7, further comprising:  
means for monitoring status of deployed actions.
9. (original) The apparatus of Claim 8, further comprising:  
means for stopping previously deployed actions which have not finished running.
10. (original) The apparatus of Claim 9, further comprising:  
means for monitoring status of each computational device while actions are being deployed and executed.
11. (original) The apparatus of Claim 10, wherein said means for monitoring allows said system administrator to define and retrieve customized properties of computational devices using a formal descriptive language.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

12. (currently amended) An enterprise management apparatus, comprising:

a centrally managed advisory diffusion server for gathering advisories from an advisory site, wherein an said-advisories advisory comprises relevance criteria and an action, and wherein an said-advisories advisory identify identifies relevant computers on a network of computational devices and allows authorized personnel to monitor, modify, and maintain said computers across any subset of said network;

a console in communication with said server for displaying any of changes and new knowledge about said network of computational devices; and

a plurality of clients, each running on an associated computational device, associated with said network of computational devices, each client processing said advisories based upon a relevance determination, inspecting [an] said associated computer computational device, and reporting any relevance determination and actions to said server;

wherein said client implements associated actions received from said console.

13. (original) The apparatus of Claim 12, further comprising:

a plurality of relays for relaying said advisories to said clients and for receiving related data from said client to forward to said server.

14. (original) The apparatus of Claim 12, said console further comprising:

means for a console operator to target patches or other fixes to appropriate computers when vulnerabilities are discovered.

15. (original) The apparatus of Claim 14, said console further comprising:

means for following progress of said patches or fixes in near real-time as they spread to all relevant computers and, one by one, eliminate bugs and vulnerabilities for affected computers across said network.

16. (original) The apparatus of Claim 12, further comprising:

means for keeping a running history of any and all remedial actions taken with regard to said computers.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

17. (original) The console of Claim 12, further comprising:

means for providing a detailed audit trail for every action and every maintained computer on said network.

18. (currently amended) In a network comprising a plurality of managed computers, an enterprise management apparatus, comprising:

a console for providing a system-wide view of said network of managed computers, along with specific characteristics of each computer thereof and associated actions and for distributing information only to those computers for which said information is relevant;

a client running on and associated with each managed computer for accessing a collection of messages comprising said information, ~~and that~~ which messages identify relevant computer characteristics, wherein if said characteristics are identified, said client running on and associated with a computer implements associated actions received from said console on said associated computer; and

a server for coordinating information flow to and from individual clients, each client running on and associated with a networked computer, and for storing results in a database.

19. (original) The apparatus of Claim 18, further comprising:

a relay for offloading said server, wherein a plurality of clients point to a relay for downloads, which in turn makes only a single request of said server.

20. (original) The apparatus of Claim 19, wherein a plurality of interaccessible relays are provided.

21. (original) The apparatus of Claim 18, further comprising:

a report module for maintaining an audit trail of all console activity on said network.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

22. (original) The apparatus of Claim 18, further comprising:

a filter panel for providing a set of folders that contains specific field values to focus console activity.

23. (original) The apparatus of Claim 18, wherein each message describes a problem that has been discovered on a client, and a short, clear explanation of said problem.

24. (original) The apparatus of Claim 18, further comprising:

a human-readable relevance language for said messages that provides expressions for querying an exhaustive set of computer properties to target actions only to those computers matching predetermined relevance criteria.

25. (currently amended) In a system for formalizing, diffusing, and enforcing policy advisories and for monitoring policy compliance in the management of a ~~the~~ a network[[s]] of computational devices, said system comprising a plurality of distributed clients, each of which runs on a corresponding networked computational device, and a server for coordinating information flow to and from individual clients, an apparatus comprising:

at least one relay for offloading a download burden from said server, wherein said clients download from a designated relay;

wherein said server distributes each advisory once to said relay, which in turn distributes said advisory to said clients; and

wherein overhead on said server is reduced by a ratio of relays to clients.

26. (original) The apparatus of Claim 25, wherein for each client in said network, both a primary and a secondary relay are specified.

27. (original) The apparatus of Claim 26, wherein each client first attempts to download from its primary relay; and wherein if said primary relay is unavailable for a client, said client can download from said secondary relay.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

28. (currently amended) The apparatus of Claim 26, wherein if said primary relay fails, said secondary relay becomes a primary relay.

29. (currently amended) The apparatus of Claim 28, wherein if said secondary also fails, said client automatically downloads directly from said server.

30. (currently amended) In a system for formalizing, diffusing, and enforcing policy advisories and for monitoring policy compliance in the management of a the network[[s]] of computational devices, said system comprising a plurality of distributed clients, each of which runs on a corresponding networked computational device, a method comprising the steps of:

providing a centrally managed advisory diffusion mechanism and a protocol for diffusing said advisories across said network of computational devices;

providing a plurality of advisories specifying relevance criteria and an action, at least one advisory describing a problem that has been discovered on a client computational device, said advisory comprising a short, clear explanation of said problem;

wherein said distributed clients, each client running on and associated with a networked computational device, gather said advisories and process said advisories;

each of said distributed clients determining relevance of an advice message by evaluating a relevance clause of said advice message, while automatically retrieving properties of the computational device on which said client runs and with which it is associated; and

wherein said advisories formally target specific states of a computational device and formally specify actions to take in response thereto.

31. (original) The method of Claim 30, further comprising the step of:

providing a central server coupled to a central database, said central server storing data in and retrieving data from said central database.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

32. (cancelled)
33. (currently amended) The method of Claim ~~[[32]]~~ 30, wherein said relevance clause is written in a formal descriptive language.
34. (original) The method of Claim 33, further comprising the step of:  
any of adding, modifying, and canceling a subscription of a distributed client to one or more advice provider sites.
35. (original) The method of Claim 34, further comprising the step of:  
selecting a group of computational devices, specifying action messages, scheduling, and controlling execution when deploying actions proposed by relevant advice messages.
36. (original) The method of Claim 35, further comprising the step of:  
securely deploying actions of relevant advice messages to a selected group of said distributed clients.
37. (original) The method of Claim 35, further comprising the step of:  
monitoring status of deployed actions.
38. (original) The method of Claim 37, further comprising the step of:  
stopping previously deployed actions which have not finished running.
39. (original) The method of Claim 38, further comprising the step of:  
monitoring status of each computational device while actions are being deployed and executed.
40. (original) The method of Claim 39, wherein said monitoring step allows said system administrator to define and retrieve customized properties of computational devices using a formal descriptive language.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

41. (currently amended) An enterprise management method, comprising the steps of:

gathering advisories from an advisory site with a centrally managed advisory diffusion server, wherein ~~said advisories comprise~~ each advisory comprises relevance criteria and an action, and wherein each advisory identifies ~~said advisories identify~~ relevant computers on a network and allows authorized personnel to monitor, modify, and maintain said computers across any subset of said network;

displaying any of changes and new knowledge about said network with a console in communication with said server; and

providing a plurality of clients, each client associated with and running on a networked computational device, associated with said network, each client processing said advisories based upon a relevance determination, inspecting its ~~an~~ associated computer, and reporting any relevance determination and actions to said server.

42. (original) The method of Claim 41, further comprising the step of:

relaying said advisories to said clients and receiving related data from said client to forward to said server with a plurality of relays.

43. (currently amended) The method of Claim 41, said console further comprising the step of:

a console operator to target targeting patches or other fixes to appropriate computers when vulnerabilities are discovered.

44. (original) The method of Claim 43, said console further comprising the step of:

following progress of said patches or fixes in near real-time as they spread to all relevant computers and, one by one, eliminate bugs and vulnerabilities for affected computers across said network.

45. (original) The method of Claim 43, further comprising the step of:



Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

keeping a running history of any and all remedial actions taken with regard to said computers.

46. (original) The method of Claim 43, further comprising the step of:  
providing a detailed audit trail for every action and every maintained computer on said network.
47. (currently amended) An enterprise management method for a network comprising a plurality of managed computers, comprising the steps of:  
providing a system-wide view of said network of managed computers, along with specific characteristics thereof and associated actions, and for distributing information only to those computers for which said information is relevant;  
providing a client running on and associated with each managed computer for accessing a collection of messages comprising said information and that identify relevant computer characteristics, wherein if said characteristics are identified, said client implements associated actions received from said console; and  
coordinating information flow to and from individual clients and for storing results in a database.
48. (original) The method of Claim 47, further comprising the step of:  
offloading said server with a relay, wherein a plurality of clients point to a relay for downloads, which in turn makes only a single request of said server.
49. (original) The method of Claim 48, wherein a plurality of interaccessible relays are provided.
50. (original) The method of Claim 47, further comprising the step of:  
maintaining an audit trail of all console activity on said network.
51. (original) The method of Claim 47, further comprising the step of:  
providing a set of folders that contains specific field values to focus console

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

activity.

52. (original) The method of Claim 47, wherein each message describes a problem that has been discovered on a client, and a short, clear explanation of said problem.

53. (original) The method of Claim 47, further comprising the step of:  
providing a human-readable relevance language for said messages that provides expressions for querying an exhaustive set of computer properties to target actions only to those computers matching predetermined relevance criteria.

54. (currently amended) In a system for formalizing, diffusing, and enforcing policy advisories and for monitoring policy compliance in the management of ~~the networks~~ a network of computational devices, said system comprising a plurality of distributed clients, each of which is associated with and runs on a corresponding networked computational device, and a server for coordinating information flow to and from individual clients, a method comprising the steps of:

offloading a download burden from said server with a relay, wherein said clients download from a designated relay;

said server distributing each advisory once to said relay, which in turn distributes said advisory to said clients; and

reducing overhead on said server a ratio of relays to clients.

55. (currently amended) The method of Claim 54, wherein for each client in said network, both a primary relay and a secondary relay are specified.

56. (original) The method of Claim 55, wherein each client first attempts to download from its primary relay; and wherein if said primary relay is unavailable for a client, said client can download from said secondary relay.

57. (currently amended) The method of Claim 55, wherein if said primary relay fails, said secondary relay becomes a primary relay.

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

58. (currently amended) The method of Claim 57, wherein if said secondary relay also fails, said client automatically downloads directly from said server.
59. (currently amended) In a system for formalizing, diffusing, and enforcing policy advisories and for monitoring policy compliance in the management of ~~the networks~~ a network of computational devices, said system comprising: a plurality of distributed clients, each of which runs is associated with and runs on a corresponding networked computational device, a server for coordinating information flow to and from individual clients, and a plurality of relays, each of which aggregates and mediates communication between said distributed clients and said server, an apparatus comprising:
- means associated with each said client for evaluating a relevance clause identifying a file or group of files to upload to said server from its the associated computational device;
  - means associated with each said client for aggregating a file or group of files resident on its associated ~~a corresponding networked~~ computational device into a file collection;
  - wherein said a relay offloads an upload burden from said server; and
  - wherein said clients upload said file collection to said server via a designated relay; and
  - means associated with each said client for distributing each file collection once to said relay, which in turn distributes said file collection to said server.
60. (original) The apparatus of Claim 59, said system further comprising:
- a central server coupled to a repository of files, said server storing data in, and retrieving data from, said repository of files.
61. (original) The apparatus of Claim 59, wherein said client compresses said file collection to reduce said collection's data size.
62. (original) The apparatus of Claim 59, wherein said client distributes each file

Attorney Docket No. UNIV0007

U.S. Serial No. 10/804,799

collection periodically to said relay, which in turn distributes said files to said server.

63. (original) The apparatus of Claim 59, wherein said client does not include files in a file collection that have not changed since a previous file collection continuing said files was uploaded.

64. (original) The apparatus of Claim 59, further comprising:  
means for limiting bandwidth consumed by said client during upload of said file collection to said relay.

65. (original) The apparatus of Claim 59, further comprising:  
means for limiting bandwidth consumed by said relay during upload of said file collection to said server.

66. (original) The apparatus of Claim 59, further comprising:  
means for resuming an interrupted upload of said file collection by said client to said relay at a point of interruption.

67. (original) The apparatus of Claim 59, further comprising:  
means for resuming an interrupted upload of said file collection by said client to said relay at a point of interruption.